



# SP 6A D610-B - T610-B

Previous generation products

## Engineering data

**REMARK:** Do not use for construction. Refer to factory certified dimensions & weights. This page includes data current at the time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice.

**Last update:** 20/04/2024

**SP 6A D610-B - T610-B**



1. Fluid inlet connections; 2. Fluid outlet connections; 3. Pre-cooler water drain; 4. Electrical panel; 5. Pre-cooler city water connection; 6. Pre-cooler piping drain.  
On model SP 6A D610-B the fluid-in connections are located at the opposite side of the unit.

Model	Nr. of Fans	Weights (kg)			Dimensions (mm)			Air Flow (m³/s)		Tube Internal Volume (dm³)	Surface (m²)	Connections
		Oper. Weight (kg)	Ship. Weight(kg)	Heaviest Section (kg)	L	W	H	Δ	Y			
SP 6 A-D610-B	6	3830	3270	3270	7416	2206	2575	44.4	34.6	282.0	4774.0	4
SP 6 A-M610-B	6	3830	3270	3270	7416	2206	2575	44.4	34.6	282.0	4774.0	4
SP 6 A-S610-B	6	3830	3270	3270	7416	2206	2575	44.4	34.6	282.0	4774.0	4
SP 6 A-T610-B	6	3830	3270	3270	7416	2206	2575	44.4	34.6	282.0	4774.0	4